International Journal of Pharmaceutics, 85 (1992) 217–218
© 1992 Elsevier Science Publishers B.V. All rights reserved 0378-5173/92/$05.00

Author Index

Acartürk, F., Kışlal, Ö. and Çelebi, N.
The effect of some natural polymers on the solubility and dissolution characteristics of nifedipine (85) 1
Aiache, J.-M., see Lootvoet, G. (85) 113
Amidon, G.L., see Oh, D.-M. (85) 181
Aoki, S., Ohwaki, T., Uesugi, K., Tatsuishi, K., Ozawa, H. and Kayano, M.
Preparation of a novel type of controlled-release carrier and evaluation of drug release from the matrix tablet and its physical properties (85) 29
Aoki, S., Uesugi, K., Tatsuishi, K., Ozawa, H. and Kayano, M.
Evaluation of the correlation between in vivo and in vitro release of phenylpropanolamine HCl from controlled-release tablets (85) 65
Athanassiou, G.C., Rekkas, D.M. and Choulis, N.H.
Bioavailability of sulphamethoxazole-trimethoprim spheroidal granules (85) 209

Beezer, A.E., see Montanari, M.L.C. (85) 199
Beyssac, E., see Lootvoet, G. (85) 113
Bolhuis, G.K., see Riepma, K.A. (85) 121

Čajkovac, M., see Škalko, N. (85) 97
Camber, O., see Prisell, P.T. (85) 51
Çelebi, N., see Acartürk, F. (85) 1
Chawla, A., see Taylor, K.M.G. (85) 203
Chen, D., see Ohta, N. (85) 39
Chou, H.-L., see Sheu, M.-T. (85) 57
Choudhury, S. and Nelson, K.F.
Improvement of oral bioavailability of carbamazepine by inclusion in 2-hydroxypropyl-β-cyclodextrin (85) 175
Choulis, N.H., see Athanassiou, G.C. (85) 209
Conte, U., see Giunchedi, P. (85) 141

De Boer, A.H., see Riepma, K.A. (85) 121
De Muynck, C. and Remon, J.P.
Influence of fat composition on the melting behaviour and on the in vitro release of indomethacin suppositories (85) 103

Efentakis, M.
Release kinetics of flurbiprofen from hydrophobic heterogeneous matrices containing surfactants (85) R1

Fujita, T., see Nishikawa, M. (85) 75

Gandhi, R. and Robinson, J.
Mechanisms of penetration enhancement for transbuccal delivery of salicylic acid (85) 129
Giunchedi, P., Conte, U., Maggi, L. and La Manna, A.
Hydrophilic matrices for the extended release of a model drug exhibiting pH-dependent solubility (85) 141
Guillory, J.K., see Hartauer, K.J. (85) 163

Hartauer, K.J., Miller, E.S. and Guillory, J.K.
Diffuse reflectance infrared Fourier transform spectroscopy for the quantitative analysis of mixtures of polymorphs (85) 163
Hashida, M., see Nishikawa, M. (85) 75
Hino, T., see Ohwaki, T. (85) 19
Hiselius, J., see Prisell, P.T. (85) 51

Ikeda, K., see Ohta, N. (85) 39
Ito, S., see Ohta, N. (85) 39

Jalšenjak, I., see Škalko, N. (85) 97

Kao, C.-C., see Sheu, M.-T. (85) 57
Kawashima, Y., see Ohwaki, T. (85) 19
Kayano, M., see Aoki, S. (85) 29
Kayano, M., see Aoki, S. (85) 65
Kışlal, Ö., see Acartürk, F. (85) 1
Koyama, Y., see Nishikawa, M. (85) 75
Kreuter, J., see Ruland, A. (85) 7

La Manna, A., see Giunchedi, P. (85) 141
Lechuga-Ballesteros, D., see Rodríguez-Hornedo, N. (85) 149
Lerk, C.F., see Riepma, K.A. (85) 121
Liu, C.-H., see Sheu, M.-T. (85) 57
Lootvoet, G., Beyssac, E., Shiu, G.K., Aiache, J.-M. and Ritschel, W.A.
Study on the release of indomethacin from suppositories: in vitro-in vivo correlation (85) 113
Love, W.G., see Williams, A.S. (85) 189

Maggi, L., see Giunchedi, P. (85) 141
Miller, E.S., see Hartauer, K.J. (85) 163
Montanari, C.A., see Montanari, M.L.C. (85) 199
Montanari, M.L.C., Beezer, A.E., Sandal, J.B.P. and Montanari, C.A.
Bioactivity of a series of substituted *N*-(3-phenyl-2-propenylidene)benzeneamines: a microcalorimetric study (85) 199

Nelson, K.F., see Choudhury, S. (85) 175
Nishikawa, M., Ohtsubo, Y., Ohno, J., Fujita, T., Koyama, Y., Yamashita, F., Hashida, M. and Sezaki, H.
Pharmacokinetics of receptor-mediated hepatic uptake of glycosylated albumin in mice (85) 75
Nishimura, M., see Yamaguchi, T. (85) 87
Nitta, K., see Ohwaki, T. (85) 19
Niwa, T., see Ohwaki, T. (85) 19
Norstedt, G., see Prisell, P.T. (85) 51

Oh, D.-M., Sinko, P.J. and Amidon, G.L.
Characterization of the oral absorption of several aminopenicillins:. Determination of intrinsic membrane absorption parameters in the rat intestine in situ (85) 181
Ohno, J., see Nishikawa, M. (85) 75
Ohta, N., Yotsuyanagi, T., Chen, D., Ono, R., Ito, S. and Ikeda, K.
Disulfide bond cleavage of human serum albumin and alterations of its secondary structure by *cis*-diammine-dichloroplatinum(II) (85) 39
Ohtsubo, Y., see Nishikawa, M. (85) 75
Ohwaki, T., Nitta, K., Ozawa, H., Kawashima, Y., Hino, T., Takeuchi, H. and Niwa, T.
Improvement of the formation percentage of water-in-oil-in-water multiple emulsion by the addition of surfactants in the internal aqueous phase of the emulsion (85) 19
Ohwaki, T., see Aoki, S. (85) 29
Okamoto, R., see Yamaguchi, T. (85) 87
Ono, R., see Ohta, N. (85) 39
Ozawa, H., see Aoki, S. (85) 29
Ozawa, H., see Aoki, S. (85) 65
Ozawa, H., see Ohwaki, T. (85) 19

Plaizier-Vercammen, J.A.
Investigation of the bioavailability of codeine from a cation ion-exchange sulfonic acid. 1. Effect of parameters (85) 45
Prisell, P.T., Camber, O., Hiselius, J. and Norstedt, G.
Evaluation of hyaluronan as a vehicle for peptide growth factors (85) 51

Rekkas, D.M., see Athanassiou, G.C. (85) 209
Remon, J.P., see De Muynck, C. (85) 103
Riepma, K.A., Zuurman, K., Bolhuis, G.K., De Boer, A.H. and Lerk, C.F.
Consolidation and compaction of powder mixtures: III. Binary mixtures of different particle size fractions of different types of crystalline lactose (85) 121
Ritschel, W.A., see Lootvoet, G. (85) 113
Robinson, J., see Gandhi, R. (85) 129
Rodríguez-Hornedo, N., Lechuga-Ballesteros, D. and Wu, H.-J.
Phase transition and heterogeneous/epitaxial nucleation of hydrated and anhydrous theophylline crystals (85) 149
Ruland, A. and Kreuter, J.
Influence of various penetration enhancers on the in vitro permeation of amino acids across hairless mouse skin (85) 7

Sandal, J.B.P., see Montanari, M.L.C. (85) 199
Sezaki, H., see Nishikawa, M. (85) 75
Sheu, M.-T., Chou, H.-L., Kao, C.-C., Liu, C.-H. and Sokoloski, T.D.
Dissolution of diclofenac sodium from matrix tablets (85) 57
Shiu, G.K., see Lootvoet, G. (85) 113
Singh, A., see Singh, M. (85) R5
Singh, M., Singh, O., Singh, A. and Talwar, G.P.
Immunogenicity studies on diphtheria toxoid loaded biodegradable microspheres (85) R5
Singh, O., see Singh, M. (85) R5
Sinko, P.J., see Oh, D.-M. (85) 181
Škalko, N., Čajkovac, M. and Jalšenjak, I.
Liposomes with clindamycin hydrochloride in the therapy of Acne vulgaris (85) 97
Sokoloski, T.D., see Sheu, M.-T. (85) 57

Takeuchi, H., see Ohwaki, T. (85) 19
Takeuchi, T., see Yamaguchi, T. (85) 87
Talwar, G.P., see Singh, M. (85) R5
Tatsuishi, K., see Aoki, S. (85) 29
Tatsuishi, K., see Aoki, S. (85) 65
Taylor, K.M.G., Venthoye, G. and Chawla, A.
Pentamidine isethionate delivery from jet nebulisers (85) 203

Uesugi, K., see Aoki, S. (85) 29
Uesugi, K., see Aoki, S. (85) 65

Venthoye, G., see Taylor, K.M.G. (85) 203

Williams, A.S., Love, W.G. and Williams, B.D.
Synthesis of methotrexate-dimyristoylphosphatidylethanolamine analogs and characterization of methotrexate release in vitro (85) 189
Williams, B.D., see Williams, A.S. (85) 189
Wu, H.-J., see Rodríguez-Hornedo, N. (85) 149

Yamaguchi, T., Nishimura, M., Okamoto, R., Takeuchi, T. and Yamamoto, K.
Glass formation of 4″-*O*-(4-methoxyphenyl)acetyltylosin and physicochemical stability of the amorphous solid (85) 87
Yamamoto, K., see Yamaguchi, T. (85) 87
Yamashita, F., see Nishikawa, M. (85) 75
Yotsuyanagi, T., see Ohta, N. (85) 39

Zuurman, K., see Riepma, K.A. (85) 121